# CHILDRENS MULTI SYMPTOM COLD- dextromethorphan hbr, guaifenes in, phenylephrine hcl s olution

#### Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Walgreen Co. Children's Multi-Symptom Cold Drug Facts

### Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg Guaifenesin 100 mg Phenylephrine HCl 2.5 mg

### **Purposes**

Cough suppressant

Expectorant

Nasal decongestant

#### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep
- nasal congestion due to a cold
- stuffy nose

#### Warnings

#### Do not use

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

#### Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

### When using this product

do not use more than directed

#### Stop use and ask a doctor if

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

Age	Dose
children 6 years to under 12 years	10 mL every 4 hours
children 4 years to under 6 years	5 mL every 4 hours
children under 4 years	do not use

#### Other information

- each 5 mL contains: sodium 3 mg
- do not use if printed neckband is broken or missing
- store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

#### **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

#### **Questions or comments?**

1-800-719-9260

#### Package/Label Principal Display Panel

Compare to Children's Mucinex® Multi-Symptom Cold active ingredients

children's MULTI-SYMPTOM Cold

DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

GUAIFENESIN / EXPECTORANT

PHENYLEPHRINE HCl / NASAL DECONGESTANT

ALCOHOL FREE

Relief from: stuffy nose, cough & chest congestion

Breaks up mucus

AGES 4 – 12 YEARS

BERRY FLAVOR

4 FL OZ (118 mL)



Compare to Children's Mucinex® Multi-Symptom Cold active ingredients†

## Walgreens

NDC 0363-9839-26

Compare to Children's Mucinex® Multi-Symptom Cold active ingredients!†

**MULTI-SYMPTOM** 

 $\mathsf{Cold}$ 

children's

DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT GUAIFENESIN / EXPECTORANT PHENYLEPHRINE HCI / NASAL DECONGESTANT

#### ALCOHOL FREE

children's

**MULTI-SYMPTOM** 

DEXTROMETHORPHAN HBr /

**GUAIFENESIN / EXPECTORANT** 

**COUGH SUPPRESSANT** 

PHENYLEPHRINE HCI /

NASAL DECONGESTANT


- Relief from: stuffy nose, cough & chest congestion
- Breaks up mucus





4 FL 0Z (118 mL)





#### ALCOHOL FREE

- Relief from: stuffy nose, cough & chest congestion
- Breaks up mucus





4 FL 0Z (118 mL)

ORG0717-F

### Drug Facts

Active ingredients	Purposes
(In each 5 mL) Dextromethorphan HBr 5 mg	Cough suppressant
Guaifenesin 100 mg Phenylephrine HCl 2.5 mg	Expectorant Nasal decongestant

Walgreens

NASAL DECONGESTANT COUGH S UP PRES SANT GUAIFENES IN / EXPECTORANT PHENYLEP HRINE HCI / DEXTROMETHORPHAN HBr /

> plod MOLTI-SYMPTOM children's

- Uses

   helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves.

  cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing
  the impulse to cough to help your child get to sleep ansal congestion due to a cold
  stuffy nose

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for monoramine occasion minotor (word) gertain urigin depression, gertain urigin (depression, perhatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

- Ask a doctor before use if the child has
  heart disease high blood pressure
  thyroid disease document or current
  to recough that occurs with too much phlegm (mucus)
  persistent or chronic cough such as occurs
  with bether with asthma

When using this product do not use more than directed

- Stop use and ask a doctor if
  your child gets nervous, dizzy or sleepless
  symptoms do not get better within 7 days or occur
- with fever cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Ceep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- Directions

  do not take more than 6 doses in any 24-hour period measure only with dosing cup provided
   do not use dosing cup with other products
- dose as follows or as directed by a doctor

LOT NO.

EXP.

: 83926 94 C4

## Drug Facts (continued)

Age	Dose
children 6 years to under 12 years	10 mL every 4 hours
children 4 years to under 6 years	5 mL every 4 hours
children under 4 years	do not use

- Other Information

  each 5 ml. contains: sodium 3 mg
  do not use if printed neckband is broken or missing
  store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive Ingredients anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments? 1-800-719-9260

Watgreens Pharmacist Recommended Watgreens Pharmacist Survey IIThis product is not manufactured or distributed by Reckitt Benckiser, the distributor of Children's Mucinex® Multi-Symptom Cold.



PARENTS:

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com ©2017 Walgreen Co.

### CHILDRENS MULTI SYMPTOM COLD

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

#### **Product Information**

HUMAN OTC DRUG NDC:0363-9839 Product Type Item Code (Source)

ORAL Route of Administration

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)			
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6 K)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics			
Color	RED (clear)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1 NDC:0363-9839-26	1 in 1 CARTON	06/27/2015	
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/27/2015	

# Labeler - Walgreen Company (008965063)

Revised: 10/2017 Walgreen Company